


# CEMENTED CARBIDE PLATES




# Cemented Carbide Plates

## Grade Properties


	Grade	ISO Code	Grain Size (μm)	Co (mass%)	TRS (GPa) *1	Hardness		Applications		Work Material				
						HRA *2	HV *3	For Automatic Lathes	Cemented Carbide Plates	General Steel	Stainless Steel	Cast Iron	Non-ferrous Metal	Heat Resistant Alloy
Cemented Carbide	TF15	K20	<0.9	10	2.5	91.0	1550	●	●					○
	HTi10	K10	<1.0	6	2.0	92.0	1700	●	●			○	○	
	UTi20T	M20	<3.0	9	2.0	90.5	1450	●	●	○	○			
Cermet	NX55	P10	<2.0	18	2.0	91.2	1500	●		○				
	TBF61	P20	<2.0	19	2.0	90.5	1450	●		○				

\*1 ISO03327 \*2 ISO03738 \*3 ISO03878


## 《SEM Pictures》




TF15




HTi10



UTi20T



NX55





TBF61

# Cemented Carbide Plates

Grade

UTi20T	HTi10	TF15	NX55	TBF61
○	○	○	×	×



Order Number	Dimensions (mm)					
	L		W		T	
TLB-8x3xT	8	±0.5	3	±0.3	2-4	+0.5 0
-8x5xT	8	±0.5	5	±0.3	2-7	+0.5 0
-8x6xT	8	±0.5	6	±0.3	2-8	+0.5 0
-8x7xT	8	±0.5	7	±0.3	2-8	+0.5 0
-8x8xT	8	±0.5	8	±0.3	2-8	+0.5 0
-9x6xT	9	±0.5	6	±0.3	2-8	+0.5 0
-9x7xT	9	±0.5	7	±0.3	2-8	+0.5 0
-9x8xT	9	±0.5	8	±0.3	2-6	+0.5 0
-10x2xT	10	±0.5	2	±0.3	2-4	+0.5 0
-10x3xT	10	±0.5	3	±0.3	2-8	+0.5 0
-10x4xT	10	±0.5	4	±0.3	2-8	+0.5 0
-10x5xT	10	±0.5	5	±0.3	2-8	+0.5 0
-10x6xT	10	±0.5	6	±0.3	2-4	+0.5 0
-10x7xT	10	±0.5	7	±0.3	2-8	+0.5 0
-10x8xT	10	±0.5	8	±0.3	2-7	+0.5 0
-10x9xT	10	±0.5	9	±0.3	2-6	+0.5 0
-10x10xT	10	±0.5	10	±0.3	2-10	+0.5 0
-11x4xT	11	±0.5	4	±0.3	2-7	+0.5 0
-11x5xT	11	±0.5	5	±0.3	2-8	+0.5 0
-11x6xT	11	±0.5	6	±0.3	2-6	+0.5 0
-11x8xT	11	±0.5	8	±0.3	2-8	+0.5 0
-11x9xT	11	±0.5	9	±0.3	2-8	+0.5 0
-11x11xT	11	±0.5	11	±0.4	2-8	+0.5 0
-12x2xT	12	±0.5	2	±0.3	2-7	+0.5 0
-12x5xT	12	±0.5	5	±0.3	2-8	+0.5 0
-12x7xT	12	±0.5	7	±0.3	2-8	+0.5 0
-12x8xT	12	±0.5	8	±0.3	2-8	+0.5 0
-12x9xT	12	±0.5	9	±0.3	2-8	+0.5 0
-12x10xT	12	±0.5	10	±0.3	2-10	+0.5 0
-12x12xT	12	±0.5	12	±0.4	2-8	+0.5 0
-13x4xT	13	±0.5	4	±0.3	2-6	+0.5 0
-13x6xT	13	±0.5	6	±0.3	2-8	+0.5 0
-13x7xT	13	±0.5	7	±0.3	2-8	+0.5 0
-13x8xT	13	±0.5	8	±0.3	2-8	+0.5 0
-13x9xT	13	±0.5	9	±0.3	2-7	+0.5 0
-13x10xT	13	±0.5	10	±0.3	2-8	+0.5 0
-13x12xT	13	±0.5	12	±0.4	2-10	+0.5 0
-13x13xT	13	±0.5	13	±0.4	2-7	+0.5 0
-14x3xT	14	±0.5	3	±0.3	2-8	+0.5 0
-14x5xT	14	±0.5	5	±0.3	2-8	+0.5 0



Order Number	Dimensions (mm)					
	L		W		T	
TLB-14x6xT	14	±0.5	6	±0.3	2-8	+0.5 0
-14x8xT	14	±0.5	8	±0.3	2-8	+0.5 0
-14x10xT	14	±0.5	10	±0.3	2-9	+0.5 0
-15x3xT	15	±0.5	3	±0.3	2-4	+0.5 0
-15x4xT	15	±0.5	4	±0.3	2-4	+0.5 0
-15x5xT	15	±0.5	5	±0.3	2-8	+0.5 0
-15x6xT	15	±0.5	6	±0.3	2-8	+0.5 0
-15x7xT	15	±0.5	7	±0.3	2-8	+0.5 0
-15x8xT	15	±0.5	8	±0.3	2-7	+0.5 0
-15x9xT	15	±0.5	9	±0.3	2-8	+0.5 0
-15x10xT	15	±0.5	10	±0.3	2-7	+0.5 0
-15x12xT	15	±0.5	12	±0.4	2-7	+0.5 0
-15x13xT	15	±0.5	13	±0.4	2-8	+0.5 0
-16x3xT	16	±0.5	3	±0.3	2-8	+0.5 0
-16x4xT	16	±0.5	4	±0.3	2-8	+0.5 0
-16x5xT	16	±0.5	5	±0.3	2-4	+0.5 0
-16x6xT	16	±0.5	6	±0.3	2-8	+0.5 0
-16x7xT	16	±0.5	7	±0.3	2-8	+0.5 0
-16x8xT	16	±0.5	8	±0.3	2-8	+0.5 0
-16x9xT	16	±0.5	9	±0.3	2-8	+0.5 0
-16x10xT	16	±0.5	10	±0.3	2-8	+0.5 0
-16x11xT	16	±0.5	11	±0.4	2-6	+0.5 0
-16x14xT	16	±0.5	14	±0.4	2-8	+0.5 0
-16x15xT	16	±0.5	15	±0.4	2-7	+0.5 0
-16x16xT	16	±0.5	16	±0.4	2-10	+0.5 0
-17x3xT	17	±0.5	3	±0.3	2-8	+0.5 0
-17x4xT	17	±0.5	4	±0.3	2-8	+0.5 0
-17x5xT	17	±0.5	5	±0.3	2-8	+0.5 0
-17x6xT	17	±0.5	6	±0.3	2-8	+0.5 0
-17x8xT	17	±0.5	8	±0.3	2-8	+0.5 0
-17x10xT	17	±0.5	10	±0.3	2-10	+0.5 0
-17x11xT	17	±0.5	11	±0.4	2-8	+0.5 0
-17x13xT	17	±0.5	13	±0.4	2-8	+0.5 0
-18x3xT	18	±0.5	3	±0.3	2-8	+0.5 0
-18x4xT	18	±0.5	4	±0.3	2-7	+0.5 0
-18x5xT	18	±0.5	5	±0.3	2-7	+0.5 0
-18x6xT	18	±0.5	6	±0.3	2-8	+0.5 0
-18x7xT	18	±0.5	7	±0.3	2-8	+0.5 0
-18x9xT	18	±0.5	9	±0.3	2-8	+0.5 0
-18x10xT	18	±0.5	10	±0.3	2-8	+0.5 0

Note) Please contact us for any geometry.

# Cemented Carbide Plates

## Grade

UTi20T	HTi10	TF15	NX55	TBF61
○	○	○	×	×



Order Number	Dimensions (mm)					
	L		W		T	
<b>TLB-18x13xT</b>	18	±0.5	13	±0.4	2-8	+0.5 0
<b>-18x15xT</b>	18	±0.5	15	±0.4	2-8	+0.5 0
<b>-18x18xT</b>	18	±0.5	18	±0.4	2-12	+0.5 0
<b>-19x5xT</b>	19	±0.5	5	±0.3	2-8	+0.5 0
<b>-19x8xT</b>	19	±0.5	8	±0.3	2-8	+0.5 0
<b>-19x11xT</b>	19	±0.5	11	±0.4	2-8	+0.5 0
<b>-19x13xT</b>	19	±0.5	13	±0.4	2-8	+0.5 0
<b>-20x2xT</b>	20	±0.5	2	±0.3	2-4	+0.5 0
<b>-20x3xT</b>	20	±0.5	3	±0.3	2-5	+0.5 0
<b>-20x4xT</b>	20	±0.5	4	±0.3	2-7	+0.5 0
<b>-20x5xT</b>	20	±0.5	5	±0.3	2-8	+0.5 0
<b>-20x6xT</b>	20	±0.5	6	±0.3	2-8	+0.5 0
<b>-20x7xT</b>	20	±0.5	7	±0.3	2-8	+0.5 0
<b>-20x8xT</b>	20	±0.5	8	±0.3	2-7	+0.5 0
<b>-20x9xT</b>	20	±0.5	9	±0.3	2-8	+0.5 0
<b>-20x10xT</b>	20	±0.5	10	±0.3	2-8	+0.5 0
<b>-20x12xT</b>	20	±0.5	12	±0.4	2-8	+0.5 0
<b>-20x15xT</b>	20	±0.5	15	±0.4	2-12	+0.5 0
<b>-20x18xT</b>	20	±0.5	18	±0.4	2-12	+0.5 0
<b>-20x20xT</b>	20	±0.5	20	±0.4	2-12	+0.5 0
<b>-21x3xT</b>	21	±0.5	3	±0.3	2-7	+0.5 0
<b>-21x7xT</b>	21	±0.5	7	±0.3	2-7	+0.5 0
<b>-21x8xT</b>	21	±0.5	8	±0.3	2-8	+0.5 0
<b>-21x9xT</b>	21	±0.5	9	±0.3	2-8	+0.5 0
<b>-21x13xT</b>	21	±0.5	13	±0.4	2-7	+0.5 0
<b>-21x20xT</b>	21	±0.5	20	±0.4	2-12	+0.5 0
<b>-21x21xT</b>	21	±0.5	21	±0.4	2-12	+0.5 0
<b>-22x3xT</b>	22	±0.5	3	±0.3	2-6	+0.5 0
<b>-22x5xT</b>	22	±0.5	5	±0.3	2-8	+0.5 0
<b>-22x8xT</b>	22	±0.5	8	±0.3	2-8	+0.5 0
<b>-22x12xT</b>	22	±0.5	12	±0.4	2-8	+0.5 0
<b>-22x15xT</b>	22	±0.5	15	±0.4	2-8	+0.5 0
<b>-22x22xT</b>	22	±0.5	22	±0.4	2-26	+0.5 0
<b>-23x4xT</b>	23	±0.5	4	±0.3	2-7	+0.5 0
<b>-23x8xT</b>	23	±0.5	8	±0.3	2-8	+0.5 0
<b>-23x14xT</b>	23	±0.5	14	±0.4	2-12	+0.5 0
<b>-24x10xT</b>	24	±0.5	10	±0.3	2-8	+0.5 0
<b>-24x12xT</b>	24	±0.5	12	±0.4	2-6	+0.5 0
<b>-24x24xT</b>	24	±0.5	24	±0.4	2-12	+0.5 0
<b>-25x4xT</b>	25	±0.5	4	±0.3	2-8	+0.5 0



Order Number	Dimensions (mm)					
	L		W		T	
<b>TLB-25x6xT</b>	25	±0.5	6	±0.3	2-8	+0.5 0
<b>-25x8xT</b>	25	±0.5	8	±0.3	2-11	+0.5 0
<b>-25x9xT</b>	25	±0.5	9	±0.3	2-8	+0.5 0
<b>-25x10xT</b>	25	±0.5	10	±0.3	2-12	+0.5 0
<b>-25x11xT</b>	25	±0.5	11	±0.4	2-8	+0.5 0
<b>-25x12xT</b>	25	±0.5	12	±0.4	2-12	+0.5 0
<b>-25x15xT</b>	25	±0.5	15	±0.4	2-10	+0.5 0
<b>-25x17xT</b>	25	±0.5	17	±0.4	2-10	+0.5 0
<b>-26x4xT</b>	26	±0.5	4	±0.3	2-8	+0.5 0
<b>-26x7xT</b>	26	±0.5	7	±0.3	2-8	+0.5 0
<b>-26x8xT</b>	26	±0.5	8	±0.3	2-8	+0.5 0
<b>-26x9xT</b>	26	±0.5	9	±0.3	2-8	+0.5 0
<b>-27x5xT</b>	27	±0.5	5	±0.3	2-8	+0.5 0
<b>-27x7xT</b>	27	±0.5	7	±0.3	2-7	+0.5 0
<b>-27x12xT</b>	27	±0.5	12	±0.4	2-8	+0.5 0
<b>-28x11xT</b>	28	±0.5	11	±0.4	2-12	+0.5 0
<b>-28x12xT</b>	28	±0.5	12	±0.4	2-8	+0.5 0
<b>-28x14xT</b>	28	±0.5	14	±0.4	2-14	+0.5 0
<b>-28x15xT</b>	28	±0.5	15	±0.4	2-8	+0.5 0
<b>-29x3xT</b>	29	±0.5	3	±0.3	2-8	+0.5 0
<b>-30x3xT</b>	30	±0.5	3	±0.3	2-8	+0.5 0
<b>-30x5xT</b>	30	±0.5	5	±0.3	2-8	+0.5 0
<b>-30x6xT</b>	30	±0.5	6	±0.3	2-10	+0.5 0
<b>-30x9xT</b>	30	±0.5	9	±0.3	2-11	+0.5 0
<b>-30x10xT</b>	30	±0.5	10	±0.3	2-12	+0.5 0
<b>-30x16xT</b>	30	±0.5	16	±0.4	2-12	+0.5 0
<b>-30x20xT</b>	30	±0.5	20	±0.4	2-10	+0.5 0
<b>-30x25xT</b>	30	±0.5	25	±0.5	2-14	+0.5 0
<b>-31x4xT</b>	31	±0.7	4	±0.3	2-7	+0.5 0
<b>-31x5xT</b>	31	±0.7	5	±0.3	2-13	+0.5 0
<b>-31x6xT</b>	31	±0.7	6	±0.3	2-10	+0.5 0
<b>-31x21xT</b>	31	±0.7	21	±0.4	2-12	+0.5 0
<b>-32x12xT</b>	32	±0.7	12	±0.4	2-15	+0.5 0
<b>-33x5xT</b>	33	±0.7	5	±0.3	2-12	+0.5 0
<b>-33x12xT</b>	33	±0.7	12	±0.4	2-7	+0.5 0
<b>-33x18xT</b>	33	±0.7	18	±0.4	2-11	+0.5 0
<b>-33x22xT</b>	33	±0.7	22	±0.4	2-10	+0.5 0
<b>-35x4xT</b>	35	±0.7	4	±0.3	2-8	+0.5 0
<b>-35x8xT</b>	35	±0.7	8	±0.3	2-12	+0.5 0
<b>-35x10xT</b>	35	±0.7	10	±0.3	2-14	+0.5 0

Note) Please contact us for any geometry.

# Cemented Carbide Plates

Grade

UTi20T	HTi10	TF15	NX55	TBF61
○	○	○	×	×



Order Number	Dimensions (mm)				
	L		W		T
TLB-35x13xT	35	±0.7	13	±0.4	2-12 +0.5/0
-35x20xT	35	±0.7	20	±0.4	2-12 +0.5/0
-36x5xT	36	±0.7	5	±0.3	2-12 +0.5/0
-36x7xT	36	±0.7	7	±0.3	2-10 +0.5/0
-36x9xT	36	±0.7	9	±0.3	2-7 +0.5/0
-38x24xT	38	±0.7	24	±0.4	2-11 +0.5/0
-39x4xT	39	±0.7	4	±0.3	2-8 +0.5/0
-39x28xT	39	±0.7	28	±0.5	2-12 +0.5/0
-40x2xT	40	±0.7	2	±0.3	2-10 +0.5/0
-40x4xT	40	±0.7	4	±0.3	2-12 +0.5/0
-40x6xT	40	±0.7	6	±0.3	2-12 +0.5/0
-40x10xT	40	±0.7	10	±0.2	2-11 +0.5/0
-40x15xT	40	±0.7	15	±0.4	2-15 +0.5/0
-40x16xT	40	±0.7	16	±0.4	2-12 +0.5/0
-42x20xT	42	±0.7	20	±0.4	2-11 +0.5/0
-43x9xT	43	±0.7	9	±0.3	2-12 +0.5/0
-45x6xT	45	±0.7	6	±0.3	2-12 +0.5/0
-47x2xT	47	±0.7	2	±0.3	2-12 +0.5/0
-50x2xT	50	+1.5/0	2	+0.3/0	2-10 +0.5/0
-50x3xT	50	+1.5/0	3	+0.3/0	2-12 +0.5/0
-50x4xT	50	+1.5/0	4	+0.3/0	2-11 +0.5/0
-50x5xT	50	+1.5/0	5	+0.3/0	2-11 +0.5/0
-50x6xT	50	+1.5/0	6	+0.3/0	2-14 +0.5/0
-50x7xT	50	+1.5/0	7	+0.4/0	2-8 +0.5/0
-50x8xT	50	+1.5/0	8	+0.4/0	2-12 +0.5/0
-50x9xT	50	+1.5/0	9	+0.4/0	2-10 +0.5/0
-50x10xT	50	+1.5/0	10	+0.4/0	2-12 +0.5/0
-50x12xT	50	+1.5/0	12	+0.5/0	2-12 +0.5/0
-50x15xT	50	+1.5/0	15	+0.5/0	2-15 +0.5/0
-51x3xT	51	+1.5/0	3	+0.3/0	2-12 +0.5/0
-51x4xT	51	+1.5/0	4	+0.3/0	2-10 +0.5/0
-51x5xT	51	+1.5/0	5	+0.3/0	2-12 +0.5/0
-51x12xT	51	+1.5/0	12	+0.5/0	2-12 +0.5/0
-52x3xT	52	+1.5/0	3	+0.3/0	2-12 +0.5/0



Order Number	Dimensions (mm)				
	L		W		T
TLB-52x4xT	52	+1.5/0	4	+0.3/0	2-12 +0.5/0
-55x6xT	55	+1.5/0	6	+0.3/0	2-12 +0.5/0
-55x20xT	55	+1.5/0	20	+0.5/0	2-12 +0.5/0
-55x30xT	55	+1.5/0	30	±1.0	2-11 +0.5/0
-60x2xT	60	+1.5/0	2	+0.3/0	2-13 +0.5/0
-60x3xT	60	+1.5/0	3	+0.3/0	2-10 +0.5/0
-60x6xT	60	+1.5/0	6	+0.3/0	2-10 +0.5/0
-60x30xT	60	+1.5/0	30	+0.6/0	2-11 +0.5/0
-65x35xT	65	+2.0/0	35	+0.8/0	2-15 +0.5/0
-70x4xT	70	+2.0/0	4	+0.3/0	2-13 +0.5/0
-70x7xT	70	+2.0/0	7	+0.4/0	2-11 +0.5/0
-80x2xT	80	+2.0/0	2	+0.3/0	2-12 +0.5/0
-80x7xT	80	+2.0/0	7	+0.4/0	2-10 +0.5/0
-81x3xT	81	+2.0/0	3	+0.3/0	2-13 +0.5/0
-81x4xT	81	+2.0/0	4	+0.3/0	2-11 +0.5/0
-87x27xT	87	+2.0/0	27	+0.6/0	2-11 +0.5/0
-100x2xT	100	+5.0/0	2	+0.5/0	2-12 +0.5/0
-100x6xT	100	±2.5	6	+0.5/0	2-12 +0.5/0
-100x8xT	100	±2.5	8	+0.5/0	2-12 +0.5/0
-103x2.5xT	103	+5.0/0	2.5	+0.5/0	2-12 +0.5/0
-103x3xT	103	+5.0/0	3	+0.5/0	2-12 +0.5/0
-103x4xT	103	+5.0/0	4	+0.5/0	2-12 +0.5/0
-103x5xT	103	+5.0/0	5	+0.5/0	2-12 +0.5/0
-110x2.5xT	110	±2.5	2.5	+0.5/0	2-12 +0.5/0
-110x3xT	110	±2.5	3	+0.5/0	2-12 +0.5/0
-110x4xT	110	±2.5	4	+0.5/0	2-12 +0.5/0
-110x5xT	110	±2.5	5	+0.5/0	2-12 +0.5/0
-110x6xT	110	±2.5	6	+0.5/0	2-12 +0.5/0
-120x3xT	120	±2.5	3	+0.5/0	2-12 +0.5/0
-120x4xT	120	±2.5	4	+0.5/0	2-12 +0.5/0
-120x5xT	120	±2.5	5	+0.5/0	2-12 +0.5/0
-140x2xT	140	±2.5	2	+0.5/0	2-12 +0.5/0
-140x3xT	140	±2.5	3	+0.5/0	2-12 +0.5/0
-140x4xT	140	±2.5	4	+0.5/0	2-12 +0.5/0

Note) Please contact us for any geometry.

## ■ Tips for Automatic Lathes

### Grade

UTi20T	HTi10	TF15	NX55	TBF61
○	○	○	○	○



Order Number	Dimensions (mm)						
	L		W		R	T	
<b>TLR-15x3TxR3</b>	15	±1.0	3	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-15x4TxR3</b>	15	±1.0	4	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-20x2TxR4</b>	20	±1.0	2	±0.5	R4	2-4	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-20x3TxR3</b>	20	±1.0	3	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-20x4TxR3</b>	20	±1.0	4	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-20x5TxR3</b>	20	±1.0	5	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$

Note) Please contact us for any geometry.

Order Number	Dimensions (mm)						
	L		W		R	T	
<b>TLR-20x6TxR3</b>	20	±1.0	6	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-25x4TxR3</b>	25	±1.0	4	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-30x4TxR3</b>	30	±2.0	4	±0.5	R3	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-30x3TxR4</b>	30	±2.0	3	±0.5	R4	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$
<b>-30x4TxR4</b>	30	±2.0	4	±0.5	R4	2-6	$\begin{matrix} +0.5 \\ 0 \end{matrix}$


# Carbide Materials (for die & mold)

## Tungsten Carbide Grade Properties


Grade	ISO Code	Grain Size (μm)	Co (mass%)	TRS (GPa) *1	Hardness		Fracture Toughness (MPa·m <sup>1/2</sup> )
					HRA *2	HV *3	
MF20	K10	<0.6	12	2.6	92.0	1700	6.3
GTi20	V30	<2.5	11	2.7	89.0	1270	14.1

\*1 ISO03327 \*2 ISO03738 \*3 ISO03878

## 《SEM Pictures》



## Cemented Carbide Grade Classification



Order Number	Dimensions (mm)					
	L		W		T	
TLD-60x40xT	60	±2.0	40	±2.0	3-10	+1 0
-66x61xT	66	±2.0	61	±2.0	3-15	+1 0
-100x100xT	100	±5.0	100	±5.0	3-20	+1 0
-150x100xT	150	±5.0	100	±5.0	3-20	+1 0

Note) Please contact us for any geometry.



# CARBIDE MATERIALS

 **MITSUBISHI MATERIALS CORPORATION**

**ADVANCED MATERIALS & TOOLS COMPANY**

7F, KFC bldg., 1-6-1, Yokoami, Sumida-ku, Tokyo 130-0015, Japan

TEL +81-3-5819-5316 FAX +81-3-5819-5310

<http://blank.mitsubishicarbide.com>



**The  
Solutions  
Partner**

YOUR GLOBAL CRAFTSMAN STUDIO

